



Canopy Application Warning: Incomplete Vehicle Manuals (IVM) in all cab and chassis having ratings of 10,500 GVWR or less contain restrictions as to weights and center of gravity (C.G.) of canopy and/or body being installed on these units. Extreme care must be taken when determining whether a specific canopy and/or body can be installed on cab and chassis. Refer to limitation shown in I.V.M. for specific cab and chassis before selecting a canopy and/or body. Availability of a canopy and/or body which will fit a specific cab and chassis does not mean it will comply with chassis manufacturer's limitations.

Canopies are furnished standard with a stationary roof enclosing load area. One (1) glass in front panel and one (1) in each rear door panel. Standard shelving consists of one full length shelf and a retainer lip at body compartment top to provide two (2) full length shelves each side. Rear doors are double overlapping to provide full load area access.

Canopies are factory installed options only and body tailgate is omitted.

No SRW APPLICATIONS

Specify T handle/D ring latch part number on order.



Commercial Grade Truck Equipment SM

CANOPIES

Application	Model	Length	Load Area Width	Height from Floor	Height from top of Compartment	Width	Approximate Weight (lbs.)
L56D94	CTL56D945	96"	65"	55"	31"	85"	703
	CTL56D946	96"	65"	60"	36"	85"	743
L56DW94	CTL56DW945	96"	54"	55"	31"	84"	674
	CTL56DW946	96"	54"	60"	36"	84"	714
S56D94	CTS56D945	96"	65"	55"	26"	85"	663
	CTS56D946	96"	65"	60"	31"	85"	703
S56DW94	CTS56DW945	96"	54"	55"	26"	84"	634
	CTS56DW946	96"	54"	60"	31"	84"	674
E60D89	CTE60D895	108"	60"	55"	28"	80"	658
	CTE60D896	108"	60"	60"	33"	80"	699
E60DW89	CTE60DW895	108"	49"	55"	28"	79"	739
	CTE60DW896	108"	49"	60"	33"	79"	780
E60D94	CTE60D945	108"	65"	55"	28"	85"	700
	CTE60D946	108"	65"	60"	33"	85"	742
E60DW94	CTE60DW945	108"	54"	55"	28"	84"	719
	CTE60DW946	108"	54"	60"	33"	84"	761
L60D89	CTL60D895	108"	60"	55"	31"	80"	683
	CTL60D896	108"	60"	60"	36"	80"	724
L60DW89	CTL60DW895	108"	49"	55"	31"	79"	764
	CTL60DW896	108"	49"	60"	36"	79"	805
L60D94	CTL60D945	108"	65"	55"	31"	85"	759
	CTL60D946	108"	65"	60"	36"	85"	801
L60DW94	CTL60DW945	108"	54"	55"	31"	84"	778
	CTL60DW946	108"	54"	60"	36"	84"	820
S60D89	CTS60D895	108"	60"	55"	26"	80"	642
	CTS60D896	108"	60"	60"	31"	80"	683
S60DW89	CTS60DW895	108"	49"	55"	26"	79"	723
	CTS60DW896	108"	49"	60"	31"	79"	764
S60D94	CTS60D945	108"	65"	55"	26"	85"	717
	CTS60D946	108"	65"	60"	31"	85"	759
S60DW94	CTS60DW945	108"	54"	55"	26"	84"	736
	CTS60DW946	108"	54"	60"	31"	84"	778
E84D89	CTE84D895	132"	60"	55"	28"	80"	786
	CTE84D896	132"	60"	60"	33"	80"	842
	CTE84D897	132"	60"	72"	45"	80"	976
E84DW89	CTE84DW895	132"	49"	55"	28"	79"	784
	CTE84DW896	132"	49"	60"	33"	79"	839
	CTE84DW897	132"	49"	72"	45"	79"	971



Commercial Grade Truck Equipment SM

CANOPIES

Application	Model	Length	Load Area Width	Height from Floor	Height from top of Compartment	Width	Approximate Weight (lbs.)
E84D94	CTE84D945	132"	65"	55"	28"	85"	802
	CTE84D946	132"	65"	60"	33"	85"	849
	CTE84D947	132"	65"	72"	45"	85"	1,015
E84DW94	CTE84DW945	132"	54"	55"	28"	84"	787
	CTE84DW946	132"	54"	60"	33"	84"	834
	CTE84DW947	132"	54"	72"	45"	84"	1,010
L84D89	CTL84D895	132"	60"	55"	31"	80"	830
	CTL84D896	132"	60"	60"	36"	80"	876
	CTL84D897	132"	60"	72"	48"	80"	1,003
L84DW89	CTL84DW895	132"	49"	55"	31"	79"	839
	CTL84DW896	132"	49"	60"	36"	79"	885
	CTL84DW897	132"	49"	72"	48"	79"	1,015
L84D94	CTL84D945	132"	65"	55"	31"	85"	868
	CTL84D946	132"	65"	60"	36"	85"	915
	CTL84D947	132"	65"	72"	48"	85"	1,045
L84DW94	CTL84DW945	132"	54"	55"	31"	84"	853
	CTL84DW946	132"	54"	60"	36"	84"	900
	CTL84DW947	132"	54"	72"	48"	84"	1,030
S84D89	CTS84D895	132"	60"	55"	26"	80"	784
	CTS84D896	132"	60"	60"	31"	80"	830
	CTS84D897	132"	60"	72"	43"	80"	957
S84DW89	CTS84DW895	132"	49"	55"	26"	79"	793
	CTS84DW896	132"	49"	60"	31"	79"	839
	CTS84DW897	132"	49"	72"	43"	79"	966
S84D94	CTS84D945	132"	65"	55"	26"	85"	821
	CTS84D946	132"	65"	60"	31"	85"	868
	CTS84D947	132"	65"	72"	43"	85"	998
S84DW94	CTS84DW945	132"	54"	55"	26"	84"	806
	CTS84DW946	132"	54"	60"	31"	84"	853
	CTS84DW947	132"	54"	72"	43"	84"	983
E102D94	CTE102D945	144"	65"	55"	28"	85"	853
	CTE102D946	144"	65"	60"	33"	85"	903
	CTE102D947	144"	65"	72"	45"	85"	1,032
E102DW94	CTE102DW945	144"	54"	55"	28"	84"	821
	CTE102DW946	144"	54"	60"	33"	84"	871
	CTE102DW947	144"	54"	72"	45"	84"	993



Commercial Grade Truck Equipment SM

CANOPIES

Application	Model	Length	Load Area Width	Height from Floor	Height from top of Compartment	Width	Approximate Weight (lbs.)
E108D94	CTE108D945	156"	65"	55"	28"	85"	888
	CTE108D946	156"	65"	60"	33"	85"	937
	CTE108D947	156"	65"	72"	45"	85"	1,075
E108DW94	CTE108DW945	156"	54"	55"	28"	84"	855
	CTE108DW946	156"	54"	60"	33"	84"	1,175
	CTE108DW947	156"	54"	72"	45"	84"	1,035
L108D94	CTL108D945	156"	65"	55"	31"	85"	934
	CTL108D946	156"	65"	60"	36"	85"	986
	CTL108D947	156"	65"	72"	48"	85"	1,128
L108DW94	CTL108DW945	156"	54"	55"	31"	84"	920
	CTL108DW946	156"	54"	60"	36"	84"	971
	CTL108DW947	156"	54"	72"	48"	84"	1,111
S108D94	CTS108D945	156"	65"	55"	26"	85"	858
	CTS108D946	156"	65"	60"	31"	85"	905
	CTS108D947	156"	65"	72"	43"	85"	1,038
S108DW94	CTS108DW945	156"	54"	55"	26"	84"	845
	CTS108DW946	156"	54"	60"	31"	84"	892
	CTS108DW947	156"	54"	72"	43"	84"	1,028
E120D94	CTE120D945	168"	65"	55"	28"	85"	977
	CTE120D946	168"	65"	60"	33"	85"	1,031
	CTE120D947	168"	65"	72"	45"	85"	1,182
E120DW94	CTE120DW945	168"	54"	55"	28"	84"	941
	CTE120DW946	168"	54"	60"	33"	84"	993
	CTE120DW947	168"	54"	72"	45"	84"	1,139
L120D94	CTL120D945	168"	65"	55"	31"	85"	1028
	CTL120D946	168"	65"	60"	36"	85"	1,085
	CTL120D947	168"	65"	72"	48"	85"	1,244
L120DW94	CTL120DW945	168"	54"	55"	31"	84"	1012
	CTL120DW946	168"	54"	60"	36"	84"	1,068
	CTL120DW947	168"	54"	72"	48"	84"	1,225
S120D94	CTS120D945	168"	65"	55"	26"	85"	944
	CTS120D946	168"	65"	60"	31"	85"	999
	CTS120D947	168"	65"	72"	43"	85"	1,149
S120DW94	CTS120DW945	168"	54"	55"	26"	84"	929
	CTS120DW946	168"	54"	60"	31"	84"	983
	CTS120DW947	168"	54"	72"	43"	84"	1,132