




Features:

- Drawer heights available - 36", 30", 24", 18" and 12"
- Lengths available - 34", 32", 24", 20" and 18"
- 10 GA zinc plated full length handle
- Deeper drawers sizes - 3", 6" and 9" for maximum space
- Drawers have a quick disconnect and are easily removable
- More drawer arrangement for greater flexibility
- Stand-alone cabinets make installation easier.
- All stainless steel rivets and bolts.
- 14 GA cold rolled steel construction.
- Full extension drawer slides.
- Galvanneal drawer dividers.
- 250 lb. drawer capacity.
- Super durable white polyester powder coat finish.
- Standard RKI lifetime warranty.



Products shown (left to right): BDS34X521, BDS24N321, BDS34W101, BDS18N400

See "Drawer System Fit" bulletin P3145 to determine the system for a specific compartment and for all available combinations.



	Body	Depth	Cmpt Length (in)				Height		Mount Type	
			1	2	3	4	SS	CS		
A	A60	W	24	32				A-E	T	
	A72	W	24	20	24			A-E	T	
	A84	W	24	22	34			A-E	T	
	A102	W	24	21	21	32		A-E	T	
	A108	W	24	24	24	32		A-E	T	
	A120	W	24	32	28	32		A-E	T	
	A124	W	24	32	32	32		A-E	T	
CA	CA84DW94	W	24	21	35			A-E	T	
	CA102DW94	W	24	21	18	35		A-E	T	
	CA108DW94	W	24	21	24	35		A-E	T	
	CA120DW94	W	24	18	18	35		A-E	T	
	CA124DW94	W	24	20	20	35		A-E	T	
C	C60DW89 / 94	W	24	35				A-E	F	
	C84DW89 / 94	W	24	24	35			A-E	F	
	C108DW89 / 94	W	24	24	24	35		A-E	F	
	C120DW94	W	24	24	35	35		A-E	F	
E	E60D89 / 94*	N	24	34				A-C	A-E	O/F
	E60DW89 / 94	W	24	34				A-E		F
	E84D89 / 94	N	24	24	34			A-E		F
	E84DW89 / 94	W	24	24	34			A-E		F
	E102D94	N	18	24	24	28		A-E		F
	E102DW94	W	18	24	24	28		A-E		F
	E108D94	N	24	24	24	34		A-E		F
	E108DW94	W	24	24	24	34		A-E		F
	E120D94	N	24	24	35	35		A-E		F
	E120DW94	W	24	24	35	35		A-E		F
G	G60DX94	X	24	34				A-E		F
	G84DX94	X	24	24	34			A-E		F
J	J5680**	N	20	32**				A,B/A**		O
	J56D94**	N	20	32**				A,B/A**		O
	J56DW94**	W	20	32**				A,B/A**		O
	J6080*	N	24	34				A,B	A-C	O/F
	J60D89 / 94*	N	24	34				A,B	A-C	O/F
	J60DW89 / 94	W	24	34				A-C		F
	J84D89 / 94	N	24	24	34			A-C		F
	J84DW89 / 94	W	24	24	34			A-C		F
L	L3780	N	15	18				A-B		O
	L4080	N	18	18				A-B		O
	L4280	N	18	18				A-B		O
	L5680	N	20	32				A-B		O
	L56D94	N	20	32				A-B		O
	L56DW94	W	20	32				A-B		O
	L5780	N	20	32				A-B		O
	L57DW94	W	20	32				A-B		O
	L6080*	N	24	34				A-B	A-D	O/F
	L60D89 / 94*	N	24	34				A-B	A-D	O/F
	L60DW89 / 94	W	24	34				A-D		F
	L84D89 / 94	N	24	24	34			A-D		F
L84DW89 / 94	W	24	24	34			A-D		F	
L108DW94	W	24	24	24	34		A-D		F	
L120DW94	W	24	24	35	35		A-D		F	

	Body	Depth	Cmpt Length (in)				Height		Mount Type	
			1	2	3	4	SS	CS		
S	S3780	N	15	18				A-C	O	
	S4080	N	18	18				A-C	O	
	S4280	N	18	18				A-C	O	
	S5680	N	20	32				A-C	O	
	S56D94	N	20	32				A-C	O	
	S56DW94	W	20	32				A-C	O	
	S6080*	N	24	34				A-C	A-E	O/F
	S60D89 / 94*	N	24	34				A-C	A-E	O/F
	S60DW89 / 94	W	24	34				A-E		F
	S84D89 / 94	N	24	24	34			A-E		F
	S84DW89 / 94	W	24	24	34			A-E		F
	S108DW94	W	24	24	24	34		A-E		F
S120DW94	W	24	24	35	35		A-E		F	
T	T3780	N	15	18				A-B		O
	T4080	N	18	18				A-B		O
	T4280	N	18	18				A-B		O
	T5680	N	20	32				A-B		O
	T56D94	N	20	32				A-B		O
	T56DW94	W	20	32				A-B		O
	T5780	N	20	32				A-B		O
	T57DW94	W	20	32				A-B		O
	T6080*	N	24	34				A-B	A-D	O/F
	T60D89 / 94*	N	24	34				A-B	A-D	O/F
	T60DW89 / 94	W	24	34				A-D		F
	T84D89 / 94	N	24	24	34			A-D		F
T84DW89 / 94	W	24	24	34			A-D		F	
T108DW94	W	24	24	24	34		A-D		F	
T120DW94	W	24	24	35	35		A-D		F	
U	U5680**	N	20	32**				A-B/A**		O
	U56D94**	N	20	32**				A-B/A**		O
	U56DW94**	W	20	32**				A-B/A**		O
	U6080*	N	24	34				A,B	A-C	O/F
	U60D89 / 94*	N	24	34				A,B	A-C	O/F
	U60DW89 / 94	W	24	34				A-C		F
	U84D89 / 94	N	24	24	34			A-C		F
	U84DW89 / 94	W	24	24	34			A-C		F
U108DW94	W	24	24	24	34		A-C		F	
U120DW94	W	24	24	35	35		A-C		F	

Drawer Combinations and Heights ***

A (13-1/8")		B (19")		C (24-7/8")		D (30-3/4")		E (36-5/8")						
3"	6"	9"	3"	6"	9"	3"	6"	9"	3"	6"	9"			
4	0	0	6	0	0	8	0	0	A(10)	0	0	C(12)	0	0
2	1	0	4	1	0	6	1	0	8	1	0	A(10)	1	0
0	2	0	3	0	1	5	0	1	7	0	1	9	0	1
1	0	1	2	2	0	4	2	0	6	2	0	8	2	0
			1	1	1	3	1	1	5	1	1	7	1	1
			0	3	0	2	3	0	4	3	0	6	3	0
			0	0	2	2	0	2	4	0	2	6	0	2
						1	2	1	3	2	1	5	2	1
						0	4	0	2	4	0	4	4	0
						0	1	2	2	1	2	4	1	2
									1	0	3	3	0	3
									1	3	1	3	3	1
									0	5	0	2	5	0
									0	2	2	2	2	2
												1	4	1
												1	1	3
												0	6	0
												0	3	2
												0	0	4

Drawer System Length

Choose a length from the following that is less than or equal to the length indicated in chart for your compartment.

18" 20" 24" 32" 34"

Drawer System Part Number

DS Length Depth 3" 6" 9"
24 W 5 2 1

Example: E84DW94 Rear Compartment = BDS24W521

SS = Street Side, CS = Curb Side

Only type "A" system heights are available for #2 lower cmpts.

*Indicated bodies have offset compartments on the Street Side (SS) only. Select from correct SS or Curb Side (CS) options.

**Offset in front compartment is higher. Only type "A" system heights are available for these front compartments.

*** Height does not include 2-9/16" Floor Mounts. If mounts are used, add their height to the Drawer Height (i.e. A, B, C, D, or E).

Use the **Drawer System Fit** table on Page 1 to determine which drawer systems are available for your service body.

Part Number:

BDS	Length	Depth	3"	6"	9"
<i>BDS</i>	--	-	-	-	-

1. **BDS** - first two characters of every drawer system part number.

2. **Length** - Choose the length of the drawer system. Must be less than or equal to the compartment length from the table.

- Enter as the 4th and 5th digits.

18, 20, 24, 32, 34

3. **Depth** - Choose the appropriate depth for your service body from the Drawer System Fit Chart.

- Enter as the 6th digit.

N - narrow 14.5" sides

W - wide 20" sides

X - extra wide 22" sides

4. **Height** - Choose a letter that corresponds to the height of a configuration that fits in the compartment from the chart.

Use for looking up drawer combination options.

A (13-1/8"), **B** (19"), **C** (24-7/8"), **D** (30-3/4"), **E** (36-5/8")

Note: See the "Drawer System Overall Size" section for details regarding mounts and total system height.

5. **Combination** - Choose an appropriate combination of drawers for the height of the drawer system from the chart.

- Enter as the 7th, 8th and 9th digits.

3" 6" 9"

Note: If the configuration has more than (9) 3" drawers, use the letter that corresponds to higher quantities. (i.e.: A=10, B=11, C=12)

Ex: S6080, front, street side compartment:

BDS	Length	Depth	3"	6"	9"
<i>BDS</i>	32	<i>N</i>	4	1	0

BDS32N410

G84DX94, front compartment:

BDS	Length	Depth	3"	6"	9"
<i>BDS</i>	24	<i>X</i>	<i>A</i>	1	0

BDS24XA10

Installation:

p/n : BINSTDSC Install Curbside (Right)

p/n : BINSTDSS Install Streetside (Left)

See Bulletin P3151 for mounting instructions

Drawer System Overall Size:

- The floor mounts provided with the Drawer System are 2-9/16" tall in height.
- If the mounts are used on the floor, then the overall height of the Drawer System is 2-9/16" plus the height of the main unit. The main unit height is given with the Drawer Combinations (A = 13-1/8", B = 19", C = 24-7/8", D = 30-3/4", E = 36-5/8")
- Tall (special) 4-1/16" mounts are available for use on A & CA bodies. Order B65295 separately (sold individually).

Example

BDS34W521. The '521' Drawer Combination is from the 'E' column, so the main unit height is 36-5/8"

* So the total Drawer System height when used with mounts is 36-5/8" plus 2-9/16", or 39-3/16".

Shipping/Pickup:

- For shipping or pick up, minimum 2 packaging charges are required for the first drawer system.
- Each additional system is one more packaging charge.

p/n : **BPKG CHG DS**



Product shown: BDS24N321