



Features:


- Drawer heights available - 36", 30", 24", 18" and 12"
- Lengths available - 34", 32", 24", 20" and 18"
- 10 GA zinc plated full length handle
- Deeper drawers sizes - 3", 6" and 9" for maximum space
- Drawers have a quick disconnect and are easily removable
- More drawer arrangement for greater flexibility
- Stand-alone cabinets make installation easier.
- All stainless steel rivets and bolts.
- 14 GA cold rolled steel construction.
- Full extension drawer slides.
- Galvanneal drawer dividers.
- 250 lb. drawer capacity.
- Super durable white polyester powder coat finish.
- Standard RKI lifetime warranty.



Products shown (left to right): BDS34X521, BDS24N321, BDS34W101, BDS18N400

See "Drawer System Fit" bulletin P3145 to determine the system for a specific compartment and for all available combinations.

Drawer System Fit



	Body	Depth	Cmpt Length (in)				Height		Mount Type
			1	2	3	4	SS	CS	
A	A60	W	24	32			A-E	T	
	A72	W	24	20	24		A-E	T	
	A84	W	24	22	34		A-E	T	
	A102	W	24	21	21	32	A-E	T	
	A108	W	24	24	24	32	A-E	T	
	A120	W	24	32	28	32	A-E	T	
	A124	W	24	32	32	32	A-E	T	
	CA84DW94	W	24	21	35		A-E	T	
CA	CA102DW94	W	24	21	18	35	A-E	T	
	CA108DW94	W	24	21	24	35	A-E	T	
	CA120DW94	W	24	18	18	35	A-E	T	
	CA124DW94	W	24	20	20	35	A-E	T	
C	C60DW94	W	24	34			A-E	F	
	C84DW94	W	24	24	34		A-E	F	
	C108DW94	W	24	24	24	34	A-E	F	
	C120DW94	W	24	24	35	35	A-E	F	
	E60D89 / 94*	N	24	34			A-C	A-E	O/F
E	E60DW89 / 94	W	24	34			A-E	F	
	E84D89 / 94	N	24	24	34		A-E	F	
	E84DW89 / 94	W	24	24	34		A-E	F	
	E102D94	N	18	24	24	28	A-E	F	
	E102DW94	W	18	24	24	28	A-E	F	
	E108D94	N	24	24	24	34	A-E	F	
	E108DW94	W	24	24	24	34	A-E	F	
	E120D94	N	24	24	35	35	A-E	F	
E120DW94	W	24	24	35	35	A-E	F		
G	G60DX94	X	24	34			A-E	F	
	G84DX94	X	24	24	34		A-E	F	
	G108DX94	X	24	24	24	34	A-E	F	
	G120DX94	X	24	24	35	35	A-E	F	
J	J5680**	N	20	32**			A,B/A**	O	
	J56D94**	N	20	32**			A,B/A**	O	
	J56DW94**	W	20	32**			A,B/A**	O	
	J6080*	N	24	34			A,B	A-C	O/F
	J60D89 / 94*	N	24	34			A,B	A-C	O/F
	J60DW89 / 94	W	24	34			A-C	F	
	J84D89 / 94	N	24	24	34		A-C	F	
	J84DW89 / 94	W	24	24	34		A-C	F	
L	J108DW94	W	24	24	24	34	A-C	F	
	J120DW94	W	24	24	35	35	A-C	F	
	L3780	N	15	18			A-B	O	
	L4080	N	18	18			A-B	O	
	L4280	N	18	18			A-B	O	
	L5680	N	20	32			A-B	O	
	L56D94	N	20	32			A-B	O	
	L56DW94	W	20	32			A-B	O	
	L5780	N	20	32			A-B	O	
	L57DW94	W	20	32			A-B	O	
	L6080*	N	24	34			A-B	A-D	O/F
	L60D89 / 94*	N	24	34			A-B	A-D	O/F
L60DW89 / 94	W	24	34			A-D	F		
L84D89 / 94	N	24	24	34		A-D	F		
L84DW89 / 94	W	24	24	34		A-D	F		
L108DW94	W	24	24	24	34	A-D	F		
L120DW94	W	24	24	35	35	A-D	F		

	Body	Depth	Cmpt Length (in)				Height		Mount Type
			1	2	3	4	SS	CS	
S	S3780	N	15	18			A-C	O	
	S4080	N	18	18			A-C	O	
	S4280	N	18	18			A-C	O	
	S5680	N	20	32			A-C	O	
	S56D94	N	20	32			A-C	O	
	S56DW94	W	20	32			A-C	O	
	S6080*	N	24	34			A-C	A-E	O/F
	S60D89 / 94*	N	24	34			A-C	A-E	O/F
	S60DW89 / 94	W	24	34			A-E	F	
	S84D89 / 94	N	24	24	34		A-E	F	
	S84DW89 / 94	W	24	24	34		A-E	F	
	S108DW94	W	24	24	24	34	A-E	F	
S120DW94	W	24	24	35	35	A-E	F		
T	T3780	N	15	18			A-B	O	
	T4080	N	18	18			A-B	O	
	T4280	N	18	18			A-B	O	
	T5680	N	20	32			A-B	O	
	T56D94	N	20	32			A-B	O	
	T56DW94	W	20	32			A-B	O	
	T5780	N	20	32			A-B	O	
	T57DW94	W	20	32			A-B	O	
	T6080*	N	24	34			A-B	A-D	O/F
	T60D89 / 94*	N	24	34			A-B	A-D	O/F
	T60DW89 / 94	W	24	34			A-D	F	
	T84D89 / 94	N	24	24	34		A-D	F	
T84DW89 / 94	W	24	24	34		A-D	F		
T108DW94	W	24	24	24	34	A-D	F		
T120DW94	W	24	24	35	35	A-D	F		
D	U5680**	N	20	32**			A-B/A**	O	
	U56D94**	N	20	32**			A-B/A**	O	
	U56DW94**	W	20	32**			A-B/A**	O	
	U6080*	N	24	34			A,B	A-C	O/F
	U60D89 / 94*	N	24	34			A,B	A-C	O/F
	U60DW89 / 94	W	24	34			A-C	F	
	U84D89 / 94	N	24	24	34		A-C	F	
	U84DW89 / 94	W	24	24	34		A-C	F	
U108DW94	W	24	24	24	34	A-C	F		
U120DW94	W	24	24	35	35	A-C	F		

Drawer Combinations and Heights ***

A (13-1/8")		B (19")		C (24-7/8")		D (30-3/4")		E (36-5/8")						
3"	6"	3"	6"	3"	6"	3"	6"	3"	6"					
4	0	0	6	0	0	8	0	0	A(10)	0	0	C(12)	0	0
2	1	0	4	1	0	6	1	0	8	1	0	A(10)	1	0
0	2	0	3	0	1	5	0	1	7	0	1	9	0	1
1	0	1	2	2	0	4	2	0	6	2	0	8	2	0
			1	1	1	3	1	1	5	1	1	7	1	1
			0	3	0	2	3	0	4	3	0	6	3	0
			0	0	2	2	0	2	4	0	2	6	0	2
						1	2	1	3	2	1	5	2	1
						0	4	0	2	4	0	4	4	0
						0	1	2	2	1	2	4	1	2
									1	0	3	3	0	3
									1	3	1	3	3	1
									0	5	0	2	5	0
									0	2	2	2	2	2
												1	4	1
												1	1	3
												0	6	0
												0	3	2
												0	0	4

Drawer System Length

Choose a length from the following that is less than or equal to the length indicated in chart for your compartment.

18" 20" 24" 32" 34"

Drawer System Part Number

DS $\frac{\text{Length}}{24}$ $\frac{\text{Depth}}{W}$ $\frac{3"}{5}$ $\frac{6"}{2}$ $\frac{9"}{1}$

Example: E84DW94 Rear Compartment = BDS24W521

SS = Street Side, CS = Curb Side

*Indicated bodies have offset compartments on the Street Side (SS) only. Select from correct SS or Curb Side (CS) options.

**Offset in front compartment is higher. Only type "A" system heights are available for these front compartments.

*** Height does not include 2-9/16" Floor Mounts. If mounts are used, add their height to the Drawer Height (i.e. A, B, C, D, or E).

Use the **Drawer System Fit** table on Page 1 to determine which drawer systems are available for your service body.

Part Number:

BDS	Length	Depth	3"	6"	9"
BDS	--	-	-	-	-

- BDS** - first two characters of every drawer system part number.
- Length** - Choose the length of the drawer system. Must be less than or equal to the compartment length from the table.
- Enter as the 4th and 5th digits.
18, 20, 24, 32, 34
- Depth** - Choose the appropriate depth for your service body from the Drawer System Fit Chart.
- Enter as the 6th digit.
N - narrow 14.5" sides
W - wide 20" sides
X - extra wide 22" sides
- Height** - Choose a letter that corresponds to the height of a configuration that fits in the compartment from the chart.

Drawer combination heights (without floor mounts):
A (13-1/8"), **B** (19"), **C** (24-7/8"), **D** (30-3/4"), **E** (36-5/8")

Note 1: Use height "A" combinations for #2 lower compts
Note 2: See "Drawer System Overall Size" section for details regarding total system height with floor mounts
- Combination** - Choose an appropriate combination of drawers for the height of the drawer system from the chart.
- Enter as the 7th, 8th and 9th digits.
3" 6" 9"

Note: If the configuration has more than (9) 3" drawers, use the letter that corresponds to higher quantities. (i.e.: A=10, B=11, C=12)

Ex: S6080, front, street side compartment:

BDS	Length	Depth	3"	6"	9"
BDS	32	N	4	1	0

BDS32N410

G84DX94, front compartment:

BDS	Length	Depth	3"	6"	9"
BDS	24	X	A	1	0

BDS24XA10

Installation:

p/n : BINSTDSC	Install Curbside (Right)
p/n : BINSTDSS	Install Streetside (Left)

See **Bulletin P3151** for mounting instructions

Drawer System Overall Size:

- The floor mounts provided with the Drawer System are 2-3/4" tall in height.
- If the mounts are used on the floor, then the overall height of the Drawer System is 2-3/4" plus the height of the main unit. The main unit height is given with the Drawer Combinations (A = 13-1/8", B = 19", C = 24-7/8", D = 30-3/4", E = 36-5/8")
- Tall (special) 4-1/16" mounts are available for use on A & CA bodies. Order B65295 separately (sold individually).

Example

BDS34W521. The '521' Drawer Combination is from the 'E' column, so the main unit height is 36-5/8"
* So the total Drawer System height when used with mounts is 36-5/8" plus 2-3/4", or 39-3/8".

Shipping/Pickup:

- For shipping or pick up, minimum 2 packaging charges are required for the first drawer system.
- Each additional system is one more packaging charge.

p/n : BPKG CHG DS



Product shown: BDS24N321